



Communication concerning approval granted of a type of electrical/electronic sub-assembly with regard to Regulation No 10

Approval No:	05280
1. Make: (trade name of manufacturer)	Tele Radio AB
2. Type and general commercial description:	Base board receiver: PN-R15-13 Base board receiver with Expansion board: PN-R15-14
3. Means of identification of type, if marked on the component:	Model and serial number
3.1. Location of that marking:	On the outside of the cabinet
4. Category of vehicle:	N/A
5. Name and address of manufacturer:	Tele Radio AB Datavägen 21 SE-43632 Askim
6. Location and method of affixing the ECE approval mark:	Sticker, located on the outside of the cabinet
7. Address(es) of assembly plant(s):	Tele Radio (Xiamen) Electronics Co. Ltd 2nd floor, No.3 Bldg. No.606 Xing Long RD Huli District Xiamen PRC
8. Additional information:	See appendix
9. Technical service responsible for carrying out the tests:	SP Technical Research Institute of Sweden Box 857 SE-501 15 BORÅS
10. Date of test report:	2016-03-06
11. Number of test report:	6P02105
12. Remarks (if any):	See appendix
13. Place:	Borlänge
14. Date:	2016-03-21

15. Signature:



Swedish Transport Agency



Lars Rask

16. The index to the information package lodged with the approval authority, which may be obtained on request, is attached.

- Information document Annex_2B_Tele_Radio_20160310_PNR1513_PNR1514, 1 page.
- Test report 6P02105, dated 2016-03-06, 38 pages.

Appendix to type approval communication form No: 05280
Concerning the type approval of an electrical/electronic
sub-assembly under Regulation No. 10

- | | | |
|--------|-----------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| 1. | Additional information | |
| 1.1. | Electrical system rated voltage: | 12- 24 V DC |
| 1.2. | This ESA can be used in any vehicle type with the following restrictions: | N/A |
| 1.2.1. | Installation conditions: | N/A |
| 1.3. | This ESA unit can be used only in the following vehicle types: | N/A |
| 1.3.1. | Installation conditions: | N/A |
| 1.4. | The specific test method(s) used and the frequency ranges covered to determine immunity were: | ISO 11 452-4, 20-200 MHz
ISO 11 452-2, 200-800 MHz
ISO 11 452-2, 800-2000 MHz |
| 1.5. | Approved laboratory responsible for carrying out the test: | SP Technical Research Institute of Sweden
Box 857
SE-501 15 BORÅS |
| 2. | Remarks: | - |